

**Amendments to the Claims:**

Please amend the claims as indicated in the marked-up version of the listing of claims presented below. This listing of claims replaces all prior versions and listings of claims in the present application.

Listing of Claims

1-22. (Canceled).

23. (Original) A shelving/display system for use as a component of a wall, the system comprising:

generally horizontal top and bottom tracks secured within the wall, each track having a top surface;

an elongate member fixedly secured to the top surface of each track, a portion of the elongate member extending away from the track and a series of apertures spaced along the portion of the elongate member, the apertures accessible from the exterior of the wall; and

generally vertical support/display members adapted for attachment in the apertures in the elongate members, each support/display member having a front surface and a series of apertures spaced along the surface.

24. (Original) The shelving/display system of claim 23 further comprising a screen portion extending downwardly from the elongate member portion that extends away from the track.

25. (Original) The shelving/display system of claim 23 further comprising a tab located on and extending outwardly from each end of the support/display members, the tabs adapted to removably engage the apertures in the elongate members to removably secure the support/display members to the elongate members.

26. (Original) The shelving/display system of claim 23 wherein the wall has an interior surface and the front surfaces of the support/display members lie in the same vertical plane as the interior surface of the wall.

27. (Currently Amended) A shelving/display system comprising:

generally horizontal top and bottom tracks secured in a spaced-apart relationship, each track having a front surface and a series of apertures spaced along the front surface;

at least ~~one~~ two generally vertical support/display ~~member~~ members adapted for engagement in the track apertures;

a pair of brackets associated with the at least one support/display member, each bracket adapted to removably engage the track apertures to removably secure the support/display members to the tracks; and

an intermediate horizontal track extending between and secured to two adjacent support/display members of the at least two generally vertical support/display members, the intermediate track having a top surface and a series of apertures spaced along the top surface;

wherein the at least one support/display member has a front surface and a series of apertures along the front surface.

28. (Original) The shelving/display system of claim 27 wherein the top and bottom tracks are adapted to be secured to a wall.

29. (Original) The shelving/display system of claim 27 wherein there are a plurality of support/display members are secured to the tracks in a series of columns and a plurality of fixtures are removably received in the apertures in the front surfaces of the support/display members to form at least one column of fixtures.

30. (Canceled).

31. (Currently Amended) The shelving/display system of claim ~~30~~ 27 wherein the intermediate track is adapted to be removably secured to the support/display members at selected vertical locations on the support/display members.

32. (Currently Amended) The shelving/display system of claim ~~30~~ 27 further comprising an intermediate upright adapted to be secured to the intermediate track in the intermediate track apertures, the intermediate upright having a front surface and a series of apertures along the front surface.

33. (Original) The shelving/display system of claim 32 wherein the front surface of the intermediate upright lies in the same vertical plane as the front surfaces of the two support/display members to which the intermediate track is secured.

34. (Original) The shelving/display system of claim 27 wherein there are at least two adjacent support/display members and further comprising an intermediate horizontal track and an intermediate upright depending from the intermediate track, the intermediate track and upright formed as an integral unit extending between and secured to the two support/display members.

35. (Original) The shelving/display system of claim 27 further comprising at least one generally horizontal base having at least two upstanding base posts wherein the top and bottom tracks are adapted to be secured to the posts.

36-44. (Canceled).

45. (Original) A shelving/display system comprising:

generally horizontal top and bottom tracks secured in a spaced-apart relationship, each track having a front surface and a rear surface;

a first generally vertical support/display member secured to the tracks adjacent the front surfaces of the tracks;

a second generally vertical support/display member secured to the tracks adjacent the rear surfaces of the tracks and opposite the first member;

wherein each member has a surface directed outwardly from the tracks and defining a series of spaced apertures.

46. (Original) The shelving/display system of claim 45 wherein the top track has a top surface and a series of apertures spaced along the top surface and further comprising a bracket associated with the first support and a bracket associated with the second support, the brackets adapted to removably engage the top track apertures on the top surface of the top track.

47. (Original) The shelving/display system of claim 45 further comprising a panel and wherein the first member and the second member define a space for receiving a portion of the panel.

48. (Original) The shelving/display system of claim 47 wherein the panel has a top edge and the top track has a groove for receiving the top edge of the panel.